MODULAR BODY

Modular Body - Type I 12'

The ambulance body 149"L x 96"W x72"H shall be constructed of custom designed aluminum extrusions and aluminum plate. The ambulance body shall be designed and engineered specifically as an emergency vehicle and shall be built to meet the heavy-duty requirements of emergency service.

Does Your Bid Comply: YES or NO

CHASSIS

1

1 Each Chassis - Dodge B3500 - 4x2 - Diesel - 84CA

Does Your Bid Comply: YES	or NO
---------------------------	-------

CHASSIS ADD ON 1 Set Wheel Inserts - Phoenix - Dodge B3500 (Standard) Chrome wheel simulators shall be installed on the chassis wheels. Use Milton 10 Pieces Stainless Steel Dually Valve Stem Extension, includes 4 Pieces Dual Tire Valve Extension 6 Pieces Valve Extender Adaptor. Does Your Bid Comply: YES or NO 1 Set Running Boards - Driver & Passenger - Reg Cab - NFPA (Standard) Diamond plate running boards shall be provided and installed on the cab of the module to the chassis manufacturers recommendation. Does Your Bid Comply: YES or NO 2 Each Lights - Grille - ION Red w Clear Lens LED (Standard) Whelen ION series Red LED warning light with clear lens and chrome flange installed on the front grill of the chassis. Does Your Bid Comply: YES or NO 2 Each Lights - Grille - ION White w Clear Lens LED Whelen ION series White LED warning light with clear lens and chrome flange installed on the front grill of the chassis. Does Your Bid Comply: YES or NO 2 Each Lights - Front Intersection - ION Red w Clear Lens LED (Standard) Whelen ION series Red LED warning light with clear lens and chrome flange installed on the fenders of the chassis. Does Your Bid Comply: YES or NO 2 Each **Speaker - Whelen** Whelen SA-315 siren speakers. Does Your Bid Comply: YES or NO

2 Each Fire Extinguisher - 5Lb w/ Bracket (Standard)

5lb Fire Extinguisher shall be shipped loose.

		Does	Your Bid Comply: YES	or NO
1	Each	Suspension - Liquid Springs - Dodge B3500		
		CLASS (Compressible Liquid Adaptive Suspension System) Lic suspension system for Ambulances. Liquid-based struts and an handling and control. System must provide a smoother, and soft increases comfort and lower maintenance costs.	on-board processor to provide	better
		Does	Your Bid Comply: YES	or NO
1	Each	Brush Guard - Black - Ranch Hand with Full Bumper F 2019-2024 Model)	Replacement - Dodge B350	0 (Fits
		Does	Your Bid Comply: YES	or NO
1	Set	Mud Flaps		
		Set of heavy-duty, thick rubber material mud flaps shall be as w	ide as the dual rear wheels.	
		Does	Your Bid Comply: YES	or NO
1	Each	Spare Tire		
		A spare tire shall be provided with the chassis.		
		Does	Your Bid Comply: YES	or NO
1	Each	Alarm - Backup		
		An audible alarm shall be installed to activate when the vehicle installed on the front console and wired through the vehicle elec disable the alarm.		
		Does	Your Bid Comply: YES	or NO
1	Set	Engine Block Heater - Wire - Shoreline		
		The chassis engine block heater shall be wired to shoreline pow	ver.	
		Does	Your Bid Comply: YES	or NO

CHASSIS CONSOLE 1

Each Pro Vision DVR-908 Camera System

A Camera system to provide an interior patient compartment camera(PC-1916), in cab crew camera(PC-1923), front facing camera(PC-1922), and a backup camera(PC-1916) with heavy duty mounting bracket (PC-1271), with a 5" display mounted on the ceiling in the area that a rear view mirror would occupy.

> Does Your Bid Comply: YES or NO

1 Each Console - Wood - Gray (Standard)

A wood scorpion coated console with (2) cup holders and map slot shall be provided between the driver and passenger seat.

Does Your Bid Comply: YES or NO

1 Set Siren - Dual Siren w Flush Mount

A Whelen 295HFSA7 dual tone siren shall be installed in the cab console.

Does Your Bid Comply: YES or NO

1 Each Siren - Howler - Universal

Provide and install a Whelen "Howler" low frequency siren & speaker system including a low frequency amplifier siren and speaker.

		Does Your Bid Comply: YES or NO
1	Each	Spotlight - Hand Held - Hardwired to Console
		12V handheld spotlight shall be hardwired to the console in the cab of the module.
		Does Your Bid Comply: YES or NO
1	Each	Glove Box - Stainless Steel - Dual
		A 2-slot stainless steel glove box shall be installed at the customer specified location TBD during pre-build.
		Does Your Bid Comply: YES or NO
1 C		RTMENT
, C 1	Each	L1 Compartment - Single Door (Standard)
•	Lach	Street Side Forward L1 Compartment Dimensions: 72"H (72" inside) x 20"W x 22"D ##Not Configurable with L1.5 Compartment
		Does Your Bid Comply: YES or NO
1	Each	O2 Bracket Kit - Universal Cylinder w Ratchet Straps (Standard)
		There shall be a Universal Zico Cylinder Bracket QRM-V O2 bottle mount to the back wall to allow the department to utilize both "M" cylinder and "H" cylinder bottles. LOCATION=BACK WALL
		Does Your Bid Comply: YES or NO
1	Each	O2 Wrench
		An aluminum O2 wrench provided near the O2 bracket in the Oxygen compartment.
		Does Your Bid Comply: YES or NO
1	Each	Oxygen Regulator - 50 PSI
		50 PSI Pre-Set diaphragm regulator with nut and nipple connection for large cylinders and preset to 50 PSI
		Does Your Bid Comply: YES or NO
2	Each	Portable O2 Bracket Kit - D Cylinder - Zico QR-D-2
		Mount below pass thru at delivery.
		Does Your Bid Comply: YES or NO
1	Each	L1 Compartment Add On #1
		(2) shelves mounted to the left of the divider in the upper portion of the cabinet. Leave room below for stair chair. (bracket does not allow room for stair chair)
		Does Your Bid Comply: YES or NO

1	Each	L2 Compartment - Single Door		
		Street Side Intermediate L2 Compartment Dimensions: 40"H (40" inside) x 30"W x 20"D		
			Does Your Bid Comply: YES	or NO

A Vanner 1100 watt Inverter with 50 amp battery charger shall be provided.

Does Your Bid Comply: YES or NO 1 Adjustable Shelf - L2 Compartment Each A horizontal aluminum adjustable shelf/shelves shall be provided in the L2 compartment mounted on shelf track. Does Your Bid Comply: YES or NO 1 Each **Inverter - Pre Wire** A pre-wire for installation of the inverter shall be provided in the L2 compartment. Does Your Bid Comply: YES or NO L3 COMPARTMENT 1 Each L3 Compartment - Single Door (Standard) Street Side Rear L3 Compartment Dimensions: H40"x W41"x D20" Does Your Bid Comply: YES or NO 1 Each Adjustable Shelf - L3 Compartment A horizontal aluminum adjustable shelf/shelves shall be provided in the L3 compartment mounted on shelf track. Does Your Bid Comply: YES or NO R3 COMPARTMENT 1 Each R3 Compartment - Single Door with R2 Compartment Curb Side Rear R3 Compartment Dimensions: 72"H (76" inside) x 15"W x 20"D Includes (2) Backboard Straps Does Your Bid Comply: YES____ or NO 1 Each **Backboard Divider - R3 Compartment** A vertical divider shall be mounted center of the back board compartment. No dividers no shelves (backboard strap only) Does Your Bid Comply: YES or NO **R2 COMPARTMENT**

1 Each **R2** Compartment - Single Door

Curb Side Rear R2 Compartment Dimensions: 20"H x 24"W x 20"D

Does Your Bid Comply: YES _____ or NO___

Curb Side Dimensio 1 Each R1 Com	partment - Single Door e Forward Compartment ns: H72"x W18"x D ALS" Does Your Bid Comply: YESor NO partment Add On #1 dard R1 Compartment Add On Upper section inside access only.
Dimensio 1 Each R1 Com	ns: H72"x W18 ["] x D ALS" Does Your Bid Comply: YESor NO partment Add On #1 dard R1 Compartment Add On
	partment Add On #1 dard R1 Compartment Add On
	dard R1 Compartment Add On
Non Stan	
	Unner section inside access only
	Lower section I/O access
	Does Your Bid Comply: YESor NO
OMPARTMENT DO	
I Each Door Pa	nels - Compartment - Scorpion/Chevron (Standard) Blue/White chevrons
	Does Your Bid Comply: YESor NO
NTRY DOORS	
1 System Door Pa	nels - Entry Door - Upholstery/Chevron (Standard)
	Does Your Bid Comply: YESor NO
	_
MERGENCY LIGH ACKAGE	
1 System Lights - (Standar	M Series - Red & White LED Warning w Clear Lens (7 Front Wall R/W/R/W/R/W/R) rd)
	19 LED warning lights shall be installed on the module in the specified configuration. (7) front wall side body lights, (3) rear upper, and (2) lower window level lights.
	Does Your Bid Comply: YESor NO
2 Each Lights -	Rear Intersection - M7 Red LED w Clear Lens - Warning Light
Whelen M	17 LED warning lights shall be installed above both rear wheels on the module
	Does Your Bid Comply: YESor NO
ON-EMERGENCY	

1 Set Lights - Compartment - Single - LED Strip Lights (Standard)

Each exterior compartment shall have one (1) strip LED light installed full height on one side of the door opening.

Does Your Bid Comply: YES____or NO_

6	Each	Lights - Scene - M9 LED (Standard)	
		Whelen M Series LED Scene Lights shall be installed (2) two on rear, (2) per side of the	ambulance modular
		body. Does Your Bid Comply: YES	or NO
1	Each	n Lights - Scene – Whelen Brow light	
		Whelen Field Series Brow Light Scene Light shall be installed beneath the Condenser ho the ambulance modular body. Width of the light should be to match housing allowance to l available for the most light.	•
		Does Your Bid Comply: YES	or NO
2	Each	Lights - Stop/Turn/Tail - M6 Series LED w Colored Lens	
		Whelen M Series LED Brake, Back Up and Turn signals with individual bezels installed on module.	the rear of the
		Does Your Bid Comply: YES	or NO
1	Set	Lights - ICC Marker - Red & Amber LED	
		7 LED Red and 7 LED Yellow ICC lights installed on the upper module perimeter to mee	t DOT requirements.
		Does Your Bid Comply: YES	or NO
1	Each		01 110
•	Luch	LED Stepwell light installed at the entry steps of the module.	
		Does Your Bid Comply: YES	or NO
1	Each		
		LED lighting installed at the the tag bracket to meet DOT requirements.	
		Does Your Bid Comply: YES	or NO
4	Each	Lights - Docking - 6" Oval White	
		2 - 6" LED lights installed at the rear bumper to provide additional back up lighting. 2 - 6" at the Front bumper to provide additional lighting.	LED lights installed
		Does Your Bid Comply: YES	or NO
МО	DULAR	REXTERIOR	
1	Each	Shoreline - 30A/120V - Auto Eject - Blue Cover	
		A 30 amp automatic power line disconnect system shall be furnished for the vehicle sho	reline.
		Does Your Bid Comply: YES	or NO
1	System		
		Does Your Bid Comply: YES	or NO
2	Set		
		Rubber fender flair shall be installed around the rear wheel well openings.	
4	0	Does Your Bid Comply: YES	or NO
1	System		or NO
		Does Your Bid Comply: YES	

1 Each Window - Side - Sliding - Dark Tint (Standard) Tinted high black aluminum framed sliding window is to be centered on the side entry door. Does Your Bid Comply: YES or NO 2 Each Window - Rear - Fixed - Dark Tint (Standard)

Tinted high black aluminum framed fixed window is to be centered on each rear entry door.

Does Your Bid Comply: YES____or NO_____

2 Each Window - Cab - Sliding - Dark Tint

Tint the Factory Cab windows with 20 % ceramic tint

Does Your Bid Comply: YES____or NO_____

1 System Door Locks - Power - All Compartments & Entry Doors w Hidden Stealth Switch

Install Power Door locks on all Compartments and Patient Entry Side and Rear Doors. Lock/unlock can be initiated by key fob, remote switch or by Cab & Driver's Side electric locks.

		Hidden stealth switch i	n grille	
			Does Your Bid Comply: YES	or NO
8	Each	Door Handles - Eberhard Pull Latch		
			Does Your Bid Comply: YES	or NO
-	-	EXTERIOR - MENT DETAIL		
1	System	Compartments - Scorpion - Gray (Standard)		
		Scorpion coated finish on all exterior compartments.		
			Does Your Bid Comply: YES	or NO
1	Set	Drip Rails - Aluminum		
			Does Your Bid Comply: YES	or NO
1	Set	Door Switches - Magnetic		
			Does Your Bid Comply: YES	or NO
PAI	NT			
1	Fach	Paint Type - Modular Body - 1 Color		

1	Each	Paint Type - Modular Body - 1 Color	
		The module shall be a single tone paint to match the OEM chassis or customer specified paint code.	
		Does Your Bid Comply: YESor NO	
1	Each	Paint Type - Chassis OEM (Standard)	
		Chassis shall be painted OEM one color to match fleet.	

Does Your Bid Comply: YES_____or NO____

VINYL GRAPHICS

1	Each	Vinyl Graphics - Hockey Stripe
		Printed kick-up style stripe that runs the length of chassis to end of module. Printed on 3M IJ680CR reflective material. ##Color, style and location to be determined at preconstruction meeting
		Does Your Bid Comply: YESor NO
1	Set	Vinyl Graphics - Star of Life Reflective Package
		KKK-Spec reflective SOL package provided with the graphics package. ##Color, style and location to be determined at preconstruction meeting
		Does Your Bid Comply: YESor NO

1	Set	Vinyl Graphics - Lettering & Decals
		Lettering and department decals designed and printed on 3M 680CR reflective material and laminated with UV protective laminate.
		Does Your Bid Comply: YES or NO
1	Each	Rear Chevron - Reflective
		Printed rear chevron that meets the existing fleet/customer specifications. Printed on 3M IJ680CR reflective material. ##Color to be determined at preconstruction meeting
		blue/white
		Does Your Bid Comply: YES or NO
1	Set	Window Perforation - Plain
		Plain Window Perforation on all entry door windows
		Does Your Bid Comply: YES or NO

MODULAR INTERIOR

1	Each	Panel - Power - Location - Interior (Standard)
		A printed circuit board shall be installed in the interior electrical cabinet behind attendant seat.
		Does Your Bid Comply: YES or NO
1	Each	Flooring - Gun Metal Gray - Lonplate 3" (Standard)
		Lonplate heavy duty floor covering installed above the PVC sub floor, rolled up on each side 3".
		Does Your Bid Comply: YES or NO
1	Each	Flooring - Composite PVC Sub Flooring
		PVC composite sub flooring shall be installed above the aluminum sub floor.
		Does Your Bid Comply: YES or NO
1	Each	Sharps Container - 8 Quart - Red
		Does Your Bid Comply: YES or NO
1	Each	Trash Container - 2 Gallons
		Does Your Bid Comply: YES or NO
1	System	Insulation - Polyfiber (Standard)
		The modular ambulance body shall be insulated with a non-flammable Polyfiber insulation.
		Does Your Bid Comply: YES or NO
1	Each	Mount - Defibrillator for Lifepak 12/15- Ferno
		A Ferno Life Pack 12/15 monitor mount shall be supplied and installed at delivery. Customer location determined during the pre-build conference.
		Does Your Bid Comply: YES or NO
1	Each	Modular Interior Add On #1
		MEDIX M1 MEDSAFE ABOVE PASS THRU W/ CABINET (wire 12v ignition power)

Safe needs to be offset to the passenger side so the seat can be completely back and not block it from opening.

Each	Modular Interior Add On #2
	Wall mounted sharps container (mount upon delivery)
	Does Your Bid Comply: YES or NO
Each	Emergency Release Latch
	Curb and Rear entry doors shall come with upper and lower emergency release latches, in the event of failure to exit the module.
	Does Your Bid Comply: YES or NO
	NTERIOR -
BINET D	
Set	Cabinets - Plywood - 1 Tone - Matte Gray (Standard) - 12'
	Cabinets shall be constructed of ¾" plywood with a high-pressure plastic matte Gray laminate finish.
	Does Your Bid Comply: YES or NO
Each	Cabinets - ALS Bulkhead - Locking (Standard)
	Dimensions: 11 1/2"H x 23"W
	Does Your Bid Comply: YES or NO
Each	Latch - Flush Pull Locking - Stainless Steel
	Does Your Bid Comply: YES or NO
Each	Cabinets - ALS Upper - Inside Access Only - Locking
	Dimensions: 25 1/8"H x 28 1/2"W
	Does Your Bid Comply: YES or NO
Each	Cabinets - ALS Lower - Inside/Outside Access - Non Locking (Standard)
	Dimensions: 25 1/8"H x 28 1/2"W
	Does Your Bid Comply: YES or NO
System	Squad Bench Configuration 12'
	Does Your Bid Comply: YES or NO
Each	Cabinets - Squad Bench Lid - Single (Standard)
	Does Your Bid Comply: YES or NO
System	Sharps & Trash Location - Recessed In Squad Bench w Flip Up Lid
	Does Your Bid Comply: YES or NO
Set	Windows - Life Defender - Restocking
	Austin Hardware Gen II Life Defender cabinets, with clear plexi and restocking sliding windows.
	Does Your Bid Comply: YES or NO
Each	Seat - CPR - Do Not Want
	Remove CPR Seat
	DULAR I BINET D Set Each Each Each System Each System System Set

Does Your Bid Comply: YES _____ or NO _____

1	Each	Countertops - White - Soft Edge Trim
		Solid Surface material counter tops with soft edge trim at the action and telemetry areas. White in color.
		Does Your Bid Comply: YESor NO
1	Each	Cabinet - Plywood - Over Rear Door
		Cabinet located over the rear entry door, providing one storage section.
		Does Your Bid Comply: YESor NO
1	Each	Cabinet - Plywood - Squad Bench Overhead
		Cabinet located over the squad bench, divided into two separate storage sections.
		Does Your Bid Comply: YESor NO
1	Each	Cabinet - Plywood - Glove Box
		Cabinet located over the side entry door, providing storage for three glove boxes.
		Does Your Bid Comply: YESor NO
1	System	Lights - Strip - Interior Cabinets - White
		Does Your Bid Comply: YESor NO
1	Each	Cabinet Add On #1
		Non Standard Additional Cabinet Add On
		Slide out drawer in the action area (move down to CPR seat section)
		Does Your Bid Comply: YESor NO
1	Each	Cabinet Add On #2
		Non Standard Additional Cabinet Add On
		lower ALS section above the shelf. Box out a section on the passenger side for Lucas vice. Do not attach to adjustable shelf. Make Lucas accessible from inside and outside.
		Does Your Bid Comply: YESor NO
		NTERIOR -
ELE	ECTRICA	AL
2	Set	Antenna - Coax
		Two [2] 10-gauge power and two [2] ground wires, two [2] RG58U Thick mount coax cables, and two [2} PL259 connectors. Routed into the radio cabinet.
		Does Your Bid Comply: YESor NO
2	Each	Outlet - 12V
		12 Volt DC 20 Amp cigar style outlets will be located in the action area and in the advanced life support cabinet.
		##Exact location & quantity can be changed at pre-construction meeting
		Does Your Bid Comply: YESor NO
4	Each	Outlet - 110V - Lighted
		110 Volt AC GFI duplex lighted outlets will be located in the action area, the telemetry, as well as the advanced life support cabinet. ##Exact location & quantity can be changed at pre-construction meeting

Additional outlet to be installed in lower ALS section above shelf and on the driver side.

Telen	netry area	a outlet to be moved closer to action area (Estimated around 18" from standard closer to action area
		Does Your Bid Comply: YES or NO
1	Each	Outlet - Oxygen - Single
		A single O2 outlet provided at the head end of the squad wall. ##Exact location & quantity can be changed at pre-construction meeting
		Does Your Bid Comply: YES or NO
1	Set	Outlet - Oxygen - Dual
		Dual O2 outlets shall be provided in the action area. ##Exact location & quantity can be changed at pre-construction meeting
		Does Your Bid Comply: YES or NO
1	Each	Outlet - Vacuum
		Ohio style quick disconnect vacuum outlet provided in the action area wall.
		Does Your Bid Comply: YES or NO
1	Each	Electrical System - V-Mux 12V with 2 Rocker Switch Panels (Standard)
		12v V-Mux switch printed circuit panel electrical system shall be provided in the cab console and in the action area of the module.
		Does Your Bid Comply: YES or NO
2	Each	Pre Wire - 12V Radio
		12v radio pre-wires at the front console and rear action area. ##Exact location and quantity can be changed at the pre-construction meeting
		Does Your Bid Comply: YES or NO
1	Each	Vacuum Pump
		Electric vacuum pump installed in the exterior compartment, plumbed to the vacuum outlet on the rear actio area wall.
		##Exterior Compartment location will be either L2 or L1.5 depending on the customer's choice.
		Does Your Bid Comply: YES or NO
1	Each	Timer - 15 Minute Delay - Momentary Rocker Switch (If you chose VMUX)
		Does Your Bid Comply: YES or NO
1	Each	Clock - Digital - Intellitec (Standard)
		A digital EMS clock shall be provided at the Action Area wall.
		Does Your Bid Comply: YES or NO
		INTERIOR - RESTRAINTS
1	Each	Safety Restraint - Yellow Angled Net (Standard)
		A yellow safety net shall be provided and installed at the head end of the squad bench.
		Does Your Bid Comply: YES or NO

3 Each Seat Belt - 6 Point Harness

All seated positions shall have a 6 point safety harness seat belt system.

Does Your Bid Comply: YES _____ or NO ____

1.25" diameter x 80" yellow grab bars shall be provided and securely fastened to the ceiling over the primary cot and over the squad bench. ##Exact location & quantity can be changed at pre-construction meeting Does Your Bid Comply: YES or NO 3 Each Grab Handle - 18" Yellow (Standard) 1.25" diameter x 18" yellow grab bars shall be provided at each entry door. ##Exact location & quantity can be changed at pre-construction meeting Does Your Bid Comply: YES or NO 3 Each Grab Handle - Interior V Style - Yellow (Standard) 3 Each Grab Handle - Interior V Style - Yellow (Standard)

Grab Rail - Ceiling - 80" Yellow (Standard)

2

Each

V-Style yellow grab handles shall be provided on the side and rear entry doors.

Does Your Bid Comply: YES or NO

-	DULAR II TAILS	NTERIOR	
1	Each	Electric O2 with Manual Bypass	
		Does Your Bid Comply: YES	or NO
1	Each	Suction - Rico - Recessed Below Action Area	
		A RICO RS4X disposable aspirator will be recessed below the action area and connected to the inlet by a quick connect coupler.	e vacuum
		Does Your Bid Comply: YES	or NO
2	Set	IV Hanger - Ceiling Mount (Standard)	
		IV Hangers will be recessed in the ceiling over the head and foot end of the primary cot.	
		Does Your Bid Comply: YES	or NO
1	System	Upholstery - Vinyl - Ash Gray	
		Seamless vacuum formed vinyl material, ash gray, provided on the attendant seat, squad bench and CPR cushions.	n cushions
		Does Your Bid Comply: YES	or NO
1	System	Cot Fastener - Floor Plate w Power Source - Stryker – Supplied through Dealer	
		A cot fastener Floor Plate with Power Source shall be center mounted on the floor of the module	e.
		Does Your Bid Comply: YES	or NO
1	System	Cot Fastener Mount - Center (Standard)	
		The cot fastener shall be center mounted in the patient module.	
		Does Your Bid Comply: YES	or NO
1	Set	Seat - Attendant Child 3 Point Safety - Ash Gray w Swivel Base - Wise	
		Attendant seat with child safety seat, 3 point harness and swivel base shall be located at the he primary cot.	ad end of the
		Does Your Bid Comply: YES	or NO

2	Each	Lights - Action Area/Telemetry - LED
		3" round Whelen 3SC0CDCR LED lights shall be located in the action area and telemetry area.
		Does Your Bid Comply: YESor NO_
8	Each	Lights - Dome - Whelen LED (Standard)
		Whelen 8" LED Dome patient compartment lights with dual level lighting will be located in the ceiling. ##Exact location & quantity can be changed at pre-construction meeting
		Does Your Bid Comply: YESor NO_
1	Set	Lights - Strip - Headliner - White
		White LED strip lights shall be installed left and right of the HVAC ducted air system.
		Does Your Bid Comply: YESor NO
	AC SYST	
1 <i>V 4</i> 1	AC SYST System	AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Cov Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst
		AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Cov Shoreline
		AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Con Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst on the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN
		AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Con Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst on the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN BRACKET.
1	System	AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Con Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst on the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN BRACKET. Does Your Bid Comply: YES or NO
1	System	AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Con Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst on the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN BRACKET. Does Your Bid Comply: YES or NO Exhaust Fan The patient compartment shall be ventilated with fresh outside air via one (1) static intake vent and one (1)
1	System	AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Condenser Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be instroned the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN BRACKET. Does Your Bid Comply: YES or NO Exhaust Fan The patient compartment shall be ventilated with fresh outside air via one (1) static intake vent and one (1) power exhaust vent.
1	System	AC - 12 Volt / 110 Volt - Ducted with Top Mount Condenser & Shroud & 30 Amp Blue Con- Shoreline A Hoseline 12 Volt/110 Volt HVAC system with top mounted condenser and custom shroud shall be inst on the module. HOSELINE 3032 TCT HVAC SYSTEM W/ AUX 12V UNDERHOOD COMPRESSOR AN BRACKET. Does Your Bid Comply: YES or NO Exhaust Fan The patient compartment shall be ventilated with fresh outside air via one (1) static intake vent and one (1) power exhaust vent. Does Your Bid Comply: YES or NO

Additional Equipment

1 - 6507 POWER PRO 2, HIGH CONFIG; KIT, ALVARIUM BATTERY, SERVICE; ASSEMBLY, BATTERY CHARGER; ASSEMBLY, POWER CORD, NORTH AM

1 - LUCAS 3, v3.1 Chest Compression System, Includes Hard Shell Case, Slim Back Plate, (2) Patient Straps, (1) Stabilization Strap, (2) Suction Cups, (1) Rechargeable Battery and Instructions for use With Each Device; LUCAS External Power Supply; LUCAS 3 Battery - Dark Grey - Rechargeable LiPo

1 - LP35,EN-US,MAS-SPO2,MED-CO2,SUN-NIBP,12L,WIFI/CELL/LN/CPRIN,STD,BT; LIFEPAK FLEX Lithium-Ion Battery – 2; LIFEPAK 35 AC Power Adapter Kit; AC Power Cord (North America, hospital grade); RD SET DCI Reusable Sensor, Pediatric;6 RD SET DCI Reusable Sensor, Adult 1; Reusable Cuff, Infant, 8-14 cm; Reusable Cuff, Pediatric, 13-20 cm; Reusable Cuff, Small, Adult, 18-26 cm; LIFEPAK Printer Kit 1; Shoulder Strap 1; LIFEPAK 35 Storage Bag Kit

1 – Stryker Auto loader system